
2:1 SEMI ELLIPSOIDAL DISHED ENDS

2:1 Ratio - Type A Deep pressure vessel ends with:

- an inside height (hi) equal to 25% of the inside diameter (Di)
- a spherical/crown radius (Ri) within 75% to 100% of the Di
- a corner/knuckle radius (ri) between 12.5% and 18.75% of the Di



51/5					
Di/Do mm	Ri mm	ri mm	.Thk Min Max	hi mm	Vol litres
400	302	51	3-8	100	8
500	380	65	3-8	125	16
600	480	90	3-8	151	28
700	600	120	3-8	179	47
800	600	100	3-8	200	64
900	750	150	3-13	230	99
1000	800	150	3-15	252	130
		150			
1100	840		3-25	278	170
1200	1030	200	3-25	303	232
1300	1050	200	3-25	329	289
1400	1090	200	3-25	354	354
1500	1210	230	5-25	379	444
1600	1250	230	5-25	404	529
1700	1340	250	5-25	430	639
1800	1380	250	5-25	456	749
1900	1570	300	5-25	479	907
2000	1600	300	5-25	505	1044
2100	1640	300	5-25	530	1194
2200	1820	350	6-25	556	1413
2300	1850	350	6-25	581	1595
2400	1890	350	6-25	606	1792
2500	2080	400	6-25	631	2075
2750	2160	400	6-25	695	2696
3000	2400	450	6-25	757	3573
3250	2640	500	6-22	820	4534
3500	2730	500	6-22	883	5529
3750	3120	600	6-20	949	7003
4000	3200	600	6-20	1009	8352
4250	3300	600	6-20	1072	9868
4500	3410	600	6-20	1136	11567
4800	3600	600	6-20	1200	13757

All intermediate diameters are possible.

hi and vol are theoretical and given for guidance only.

Ri will vary slightly on spun heads.

Volumes & heights do not include straight flange.

Straight flange available up to a maximum of 75mm, depedent on material thickness.

